The Impact of Ice Roads and Ice Pads on Tundra Ecosystems

National Petroleum Reserve, Alaska (NPR-A)



Quote from a North Slope Researcher:

"With ice roads there is <u>NO</u> damage to the tundra, so there is <u>NO</u> recovery process, all that has to happen is that the ice has to melt."

BLM Purpose:

Determine if there are any impacts or the degree of impacts created from ice road and ice pad construction.





METHODOLOGY:

- •Use NTM Imagery as source to determine ice road location.
- •Compare current Ice Road impacts to the recovery of a 1978 Ice Road.
- Permafrost depth analysis
- Vegetation Transects




















GOUO 2000/2001/2002 Ice Roads

National Petroleum Reserve-Alaska



GOUO 2002 Ice Road and Trails

National Petroleum Reserve-Alaska




Survey Equipment

Laser Alignment LB-9 (Laser Leveler)



Trimble ProXR-GPS & Steel Permafrost probe







Ice Road trace...



























Inigok Ice Road 1978





- 37.5 miles of ice road.
- Construction began Feb. 1 and ended March 8.
- Gravel was hauled each day for 38 days.
- Total gravel hauled 132,000 tons.
- 35,000,000 gallons of water use to construct the road.

NASA CIR Photo Date: July 1979

5 3/4 miles

9 miles


11 1/2 miles

Approximately 4 miles

Sites E to N



Yellow Letters are Transect Locations






Site G enlargement Ice Road Trace Crossing Ublutuosh River


G-NAD 27

543,221 E 7,764

7,764,713 N

Photo #02786-2443, Date: July 1979







Site G enlargement Ice Road Trace Crossing Ublutuosh River

G-NAD 27

543,221 E 7,764

7,764,713 N

Photo #02786-2443, Date: July 1979














Depth to Permafrost Transect Inigok G

Looking West Looking West







Inigok G- Photos











Inigok G- Photos





Ice Road Vegetation Data 1978 vs. 2002




Table 1

Puviaq Ice Pad March 2003











Results & Impacts:

- Delay in Plant Phenology
- Physical impacts from construction
- Thermal impacts to plants- severity index
- Thermokarsting- no evidence
- No significant impact to permafrost
- No significant impact to wetlands

Conclusion:

